

ISBT Beverage Grade Carbon Dioxide (CO₂) Analysis Report

Guney Dogal Gaz SAN. TIC. AS.
Adana Yolu Uzeri 3. KM Kemerhisar Kasabasi
Bor Nigde, Turkey
Irfan Isci
irfan.isci@guneydogalgaz.com
Sample ID: Vaporized Liquid CO₂ ;
Received in TBK2 # 6096, SSC # 1056, and SBL # 0200

AAL Number: 68938
Received On: 05-Sep-23
Report Date: 18-Sep-23
PO Number: 9342

Sample Date: 19-Aug-23
Final Test Date: 15-Sep-23

RESULTS	PARAMETER, CHEMICAL FORMULA (UNITS)	DL	Method	ISBT GUIDELINE LIMIT
99.99	Carbon Dioxide Purity CO ₂ (% v/v)	5.0	ISBT 2.0	99.90% v/v min
nd	Moisture (Water Vapor) H ₂ O (ppm v/v)	1.0	ISBT 3.0	20.0 ppm v/v max
nd	Oxygen O ₂ (ppm v/v)	4.0	ISBT 4.0	30.0 ppm v/v max
nd	Carbon Monoxide CO (ppm v/v)	0.5	ISBT 5.0	10.0 ppm v/v max
nd	Ammonia NH ₃ (ppm v/v)	0.5	ISBT 6.0	2.50 ppm v/v max
nd	Oxides of Nitrogen NO _x (ppm v/v)	0.5	ISBT 7.0	5.0 ppm v/v max
nd	Nitrogen Dioxide NO ₂ (ppm v/v)	0.5	ISBT 7.1	2.50 ppm v/v max
nd	Nitric Oxide NO (ppm v/v)	0.5	ISBT 7.2	2.50 ppm v/v max
nd	Non-volatile Residue NVR (ppm w/w)	1.0	ISBT 8.0	10.0 ppm w/w max
nd	Non-volatile Organic Residue NVOR (ppm w/w)	1.0	ISBT 8.0	5.0 ppm w/w max
nd	Methanol MeOH (ppm v/v)	0.2	ISBT 9.0	10.0 ppm v/v max
nd	Total Hydrocarbons as Methane THC (ppm v/v as CH ₄)	0.1	ISBT 10.0	50.0 ppm v/v max
nd	Total Non-Methane Hydrocarbons TNMHC (ppm v/v as CH ₄)	0.1	ISBT 10.1	20.0 ppm v/v max
nd	Acetaldehyde AA (ppm v/v)	0.05	ISBT 11.0	0.20 ppm v/v max
0.004	Aromatic Hydrocarbon AHC (ppm v/v)	0.002	ISBT 12.0	0.020 ppm v/v max
nd	Total Sulfur TS (ppm v/v as S)	0.02	ISBT 13.0	0.10 ppm v/v max (excl. SO ₂)
nd	Sulfur Dioxide SO ₂ (ppm v/v)	0.02	ISBT 14.0	1.0 ppm v/v max
<u>Sensory Tests</u>				
PASS	Odor in Water	na	ISBT 16.0	No foreign odor
PASS	Taste in Water	na	ISBT 16.0	No foreign taste
PASS	Appearance in Water	na	ISBT 16.0	No color or turbidity

Notes: ISBT Guideline limits from ISBT Publication "Bulk Carbon Dioxide Quality & Food Safety Guidelines and Analytical Methods And Techniques Reference 2021" – 4th Revision, October 2021. Parameter results above ISBT Guideline Limits reported in RED.

DL = test detection limit. nd = less than the test detection limit. na = value is non-applicable. sc = see comments below
 -- = test not performed. v/v = volume analyte/volume sample. w/w = weight analyte/weight sample.
 LT = less than amount specified. GT = greater than amount specified.
 % = parts per hundred. ppm = parts per million. ppb = parts per billion.
 Unit Conversions: 0.0001% = 1 ppm = 1,000 ppb = 1µL/L (v/v) or 1µg/g (w/w)

Comments: Dew Point less than -105°F (-76°C)



Bruce Gollob
Lab Manager

ISBT Beverage Grade Carbon Dioxide (CO₂) Analysis Report

Guney Dogal Gaz SAN. TIC. AS.
Vaporized Liquid CO₂ ;

AAL Number: 68938
Sample Date: 19-Aug-23

RESULTS	PARAMETER, CHEMICAL FORMULA (UNITS)	DL	Method	ISBT GUIDELINE LIMIT
99.99	Carbon Dioxide Purity (% v/v)	5.0	ISBT 2.0	99.90% v/v min
nd	Non-volatile Residue NVR (ppm w/w)	1.0	ISBT 8.0	10.0 ppm w/w max
nd	Non-volatile Organic Residue NVOR (ppm w/w)	1.0	ISBT 8.0	5.0 ppm w/w max
nd	Total Hydrocarbons as Methane THC (ppm v/v as CH ₄)	0.1	ISBT 10.0	50.0 ppm v/v max
nd	Total Non-Methane Hydrocarbon TNMHC (ppm v/v as CH ₄)	0.1	ISBT 10.1	20.0 ppm v/v max
nd	Moisture (Water Vapor) H ₂ O (ppm v/v)	1.0	ISBT 3.0	20.0 ppm v/v max
nd	Carbon Monoxide CO (ppm v/v)	0.5	ISBT 5.0	10.0 ppm v/v max
nd	Ammonia NH ₃ (ppm v/v)	0.5	ISBT 6.0	2.50 ppm v/v max
nd	Oxides of Nitrogen NO _x (ppm v/v)	0.5	ISBT 7.0	5.0 ppm v/v max
nd	Nitrogen Dioxide NO ₂ (ppm v/v)	0.5	ISBT 7.1	2.50 ppm v/v max
nd	Nitric Oxide NO (ppm v/v)	0.5	ISBT 7.2	2.50 ppm v/v max
Source Specific Parameters (ppm v/v)				
nd	Hydrogen Cyanide HCN	0.5	ISBT 17.0	Not detectable by method
nd	Vinyl Chloride C ₂ H ₃ Cl	0.1	ISBT 18.0	Not detectable by method
nd	Phosphine PH ₃	0.1	ISBT 19.0	0.30 ppm v/v max
nd	Ethylene Oxide C ₂ H ₄ O	0.1	ISBT 20.0	0.20 ppm v/v max
Non-Condensable Gases (NCG, ppm v/v)				
nd	Nitrogen N ₂	4	ISBT 4.0	na
nd	Oxygen O ₂	4	ISBT 4.0	30.0 ppm v/v max
nd	Argon Ar	4	ISBT 4.0	na
nd	Hydrogen H ₂	10	ISBT 4.0	na
nd	Helium He	10	ISBT 4.0	na
Volatile Hydrocarbons (VHC, ppm v/v)				
nd	Methane	0.5	ISBT 10.1	na
nd	Ethylene	0.5	ISBT 10.1	na
nd	Ethane	0.5	ISBT 10.1	na
nd	Propylene	0.5	ISBT 10.1	na
nd	Propane	0.5	ISBT 10.1	na
nd	Isobutane	0.5	ISBT 10.1	na
nd	n-Butane	0.5	ISBT 10.1	na
nd	Butenes	0.5	ISBT 10.1	na
nd	Isopentane	0.5	ISBT 10.1	na
nd	n-Pentane	0.5	ISBT 10.1	na
nd	Pentenes	0.5	ISBT 10.1	na
nd	C6+	0.5	ISBT 10.1	na
Aromatic Hydrocarbons (BTEX, ppm v/v)				
0.004	Benzene AHC	0.002	ISBT 12.0	0.020 ppm v/v max
0.032	Toluene	0.002	ISBT 12.0	na
nd	Ethyl Benzene	0.002	ISBT 12.0	na
nd	m+p Xylene	0.002	ISBT 12.0	na
nd	o-Xylene	0.002	ISBT 12.0	na

Notes: ISBT Guideline limits from ISBT Publication "Bulk Carbon Dioxide Quality & Food Safety Guidelines and Analytical Methods And Techniques Reference 2021" – 4th Revision, October 2021. Parameter results above ISBT Guideline Limits reported in RED.

DL = test detection limit. nd = less than the test detection limit. na = value is non-applicable. sc = see comments below
 -- = test not performed. v/v = volume analyte/volume sample. w/w = weight analyte/weight sample.
 LT = less than amount specified. GT = greater than amount specified.
 % = parts per hundred. ppm = parts per million. ppb = parts per billion.
 Unit Conversions: 0.0001% = 1 ppm = 1,000 ppb = 1µL/L (v/v) or 1µg/g (w/w)

Comments: Dew Point less than -105°F (-76°C)




Atlantic Analytical Laboratory, LLC

Mailing: P.O. Box 220 · Whitehouse, NJ 08888

Shipping: 291 Route 22 East, Salem Industrial Park - Bldg 2 · Lebanon, NJ 08833

(908).534.5600 · www.AtlanticAnalytical.com



RESULTS	Volatiles Sulfur Compounds (VSC, ppm v/v)	DL	Method	ISBT GUIDELINE LIMIT
nd	Hydrogen Sulfide H ₂ S	0.02	ISBT 14.0	na
nd	Carbonyl Sulfide COS	0.02	ISBT 14.0	na
nd	Sulfur Dioxide SO ₂	0.02	ISBT 14.0	1.0 ppm v/v max
nd	Methyl Mercaptan	0.02	ISBT 14.0	na
nd	Ethyl Mercaptan	0.02	ISBT 14.0	na
nd	Dimethyl Sulfide	0.02	ISBT 14.0	na
nd	Carbon Disulfide	0.02	ISBT 14.0	na
nd	i-Propyl Mercaptan	0.02	ISBT 14.0	na
nd	t-Butyl Mercaptan	0.02	ISBT 14.0	na
nd	n-Propyl Mercaptan	0.02	ISBT 14.0	na
nd	Methyl Ethyl Sulfide	0.02	ISBT 14.0	na
nd	sec-Butyl Mercaptan	0.02	ISBT 14.0	na
nd	i-Butyl Mercaptan	0.02	ISBT 14.0	na
nd	Diethyl Sulfide	0.02	ISBT 14.0	na
nd	n-Butyl Mercaptan	0.02	ISBT 14.0	na
nd	Dimethyl Disulfide	0.02	ISBT 14.0	na
nd	Diethyl Disulfide	0.02	ISBT 14.0	na
nd	Other Sulfurs	0.02	ISBT 14.0	na
nd	Total Sulfur Content TS as S	0.02	ISBT 13.0	0.10 ppm v/v max (excl. SO ₂)
Volatiles Oxygenates (VOX, ppm v/v)				
nd	Acetaldehyde AA	0.05	ISBT 11.0	0.20 ppm v/v max
nd	Ethylene Oxide	0.1	ISBT 20.0	0.20 ppm v/v max
nd	Dimethyl Ether	0.1	ISBT 11.0	na
nd	Methyl Ethyl Ether	0.2	ISBT 11.0	na
nd	Methanol MeOH	0.2	ISBT 9.0	10.0 ppm v/v max
nd	Propionaldehyde	0.2	ISBT 11.0	na
nd	Acetone	0.2	ISBT 11.0	na
nd	Ethanol	0.2	ISBT 11.0	na
nd	Isopropanol	0.2	ISBT 11.0	na
nd	Ethyl Acetate	0.2	ISBT 11.0	na
nd	t-Butanol	0.2	ISBT 11.0	na
nd	n-Propanol	0.2	ISBT 11.0	na
nd	2-Butanol	0.2	ISBT 11.0	na
nd	Isobutanol	0.2	ISBT 11.0	na
nd	n-Butanol	0.2	ISBT 11.0	na
nd	Isoamyl Alcohol	0.2	ISBT 11.0	na
nd	Isoamyl Acetate	0.2	ISBT 11.0	na
Sensory Tests				
PASS	Odor in Water	na	ISBT 16.0	No foreign odor
PASS	Taste in Water	na	ISBT 16.0	No foreign taste
PASS	Appearance in Water	na	ISBT 16.0	No color or turbidity

Notes: ISBT Guideline limits from ISBT Publication "Bulk Carbon Dioxide Quality & Food Safety Guidelines and Analytical Methods And Techniques Reference 2021" – 4th Revision, October 2021. Parameter results above ISBT Guideline Limits reported in RED.

DL = test detection limit. nd = less than the test detection limit. na = value is non-applicable. sc = see comments below
 -- = test not performed. v/v = volume analyte/volume sample. w/w = weight analyte/weight sample.
 LT = less than amount specified. GT = greater than amount specified.
 % = parts per hundred. ppm = parts per million. ppb = parts per billion.
 Unit Conversions: 0.0001% = 1 ppm = 1,000 ppb = 1µL/L (v/v) or 1µg/g (w/w)

Comments:



Bruce Gollob
Lab Manager



Atlantic Analytical Laboratory, LLC

Mailing: P.O. Box 220 · Whitehouse, NJ 08888

Shipping: 291 Route 22 East, Salem Industrial Park - Bldg 2 · Lebanon, NJ 08833

(908).534.5600 · www.AtlanticAnalytical.com

